



Grant All-Detail Report

Buffer Cost Share 2018

Grant Title - 2018 - Buffer Cost Share (Roseau SWCD)

Grant ID - P18-0991

Organization - Roseau SWCD

Original Awarded Amount	\$332,970.00	Grant Execution Date	7/12/2017
Required Match Amount	\$0.00	Original Grant End Date	12/31/2019
Required Match %	0%	Grant Day To Day Contact	Scott Johnson
Current Awarded Amount	\$332,970.00	Current End Date	12/31/2022

Budget Summary

	Budgeted	Spent	Balance Remaining*
Total Grant Amount	\$332,970.00	\$167,648.10	\$165,321.90
Total Match Amount	\$0.00	\$0.00	\$0.00
Total Other Funds	\$0.00	\$0.00	\$0.00
Total	\$332,970.00	\$167,648.10	\$165,321.90

*Grant balance remaining is the difference between the Awarded Amount and the Spent Amount. Other values compare budgeted and spent amounts.

Budget Details

Activity Name	Activity Category	Source Type	Source Description	Budgeted	Spent	Last Transaction Date	Matching Fund
Grass Buffers & Side Water Inlets	Streambank or Shoreline Protection	Current State Grant	2018 - Buffer Cost Share (Roseau SWCD)	\$266,376.00	\$129,561.73	12/30/2021	N
T & A	Administration /Coordination	Current State Grant	2018 - Buffer Cost Share (Roseau SWCD)	\$66,594.00	\$38,086.37	12/31/2021	N

Activity Details Summary

Activity Details	Total Action Count	Total Activity Mapped	Proposed Size / Unit	Actual Size / Unit
393 - Filter Strip	38	38	1.5 AC	1.5 AC
393 - Filter Strip	18	18	3 AC	3 AC
410 - Grade Stabilization Structure	15	15	3 COUNT	3 COUNT
393 - Filter Strip	8	6	4 AC	4 AC
393 - Filter Strip	7	7	10 AC	10 AC
393 - Filter Strip	7	7	4.75 AC	4.75 AC
393 - Filter Strip	1	1	5 AC	5 AC
393 - Filter Strip	9	9	4.5 AC	4.5 AC
393 - Filter Strip	5	5	1.75 AC	1.75 AC
410 - Grade Stabilization Structure	8	8	2 COUNT	2 COUNT
393 - Filter Strip	6	6	7.25 AC	7.25 AC
393 - Filter Strip	8	1	7.5 AC	7.5 AC
393 - Filter Strip	38	42	0.5 AC	0.5 AC
393 - Filter Strip	19	16	3.5 AC	3.5 AC
393 - Filter Strip	4	4	9.5 AC	9.5 AC
393 - Filter Strip	9	8	8 AC	8 AC
410 - Grade Stabilization Structure	4	4	1 COUNT	1 COUNT
393 - Filter Strip	2	2	0.3 AC	0.3 AC
393 - Filter Strip	1	4	6.5 AC	6.5 AC
410 - Grade Stabilization Structure	5	5	5 COUNT	5 COUNT
393 - Filter Strip	9	9	2.5 AC	2.5 AC
393 - Filter Strip	5	4	1.25 AC	1.25 AC
393 - Filter Strip	6	6	0.25 AC	0.25 AC
410 - Grade Stabilization Structure	4	4	4 COUNT	4 COUNT
393 - Filter Strip	9	5	7 AC	7 AC
393 - Filter Strip	47	47	1 AC	1 AC
393 - Filter Strip	10	10	0.75 AC	0.75 AC

Activity Details	Total Action Count	Total Activity Mapped	Proposed Size / Unit	Actual Size / Unit
393 - Filter Strip	12	12	10.5 AC	10.5 AC
393 - Filter Strip	1	1	2.25 AC	2.25 AC
393 - Filter Strip	36	37	2 AC	2 AC
410 - Grade Stabilization Structure	10	10	10 COUNT	10 COUNT

Proposed Activity Indicators

Activity Name	Indicator Name	Value & Units	Waterbody	Calculation Tool	Comments
---------------	----------------	---------------	-----------	------------------	----------

Final Indicators Summary

Indicator Name	Total Value	Unit
----------------	-------------	------

Grant Activity

Grant Activity - Grass Buffers & Side Water Inlets			
Description	Installation of grass buffer strips along public ditches and public waters. Installation of side water inlets along public ditches.		
Category	STREAMBANK OR SHORELINE PROTECTION		
Start Date	14-Jul-17	End Date	31-Dec-21
Has Rates and Hours?	No		
Actual Results	2018 - 62 contracts for financial assistance were completed. The total number of parcels brought into compliance is 108. The total filter strip acres planted in 2018 is 110.75. 2019- 31 landowners, 56 contracts for financial assistance were completed. Total acres compliant was 81acres. 2020 - 60 Contracts for financial assistance were completed. 27 SWI's were installed and 121 acres of buffer were installed. 2021- 26 Contracts for financial assistance were completed. 5 SWI's were installed and 51 acres of buffer were installed.		

Activity Action - 2018-034			
Practice	393 - Filter Strip	Count of Activities	1
Description	installation of grass buffer		
Proposed Size / Units	1.00 AC	Lifespan	10 Years
Actual Size/Units	1.00 AC	Installed Date	18-Jun-18
Mapped Activities	1 Polygon(s)	Technical Assistance Provider	

Activity Action - 2018-060			
Practice	393 - Filter Strip	Count of Activities	1
Description	installation of grass buffer		
Proposed Size / Units	0.50 AC	Lifespan	10 Years
Actual Size/Units	0.50 AC	Installed Date	21-Jun-18
Mapped Activities	1 Polygon(s)	Technical Assistance Provider	

Activity Action - 2018-088			
Practice	393 - Filter Strip	Count of Activities	1
Description	installation of grass buffer		
Proposed Size / Units	0.50 AC	Lifespan	10 Years
Actual Size/Units	0.50 AC	Installed Date	14-Jun-18
Mapped Activities	1 Polygon(s)	Technical Assistance Provider	

Activity Action - 2018-078			
Practice	393 - Filter Strip	Count of Activities	1
Description	installation of grass buffer		
Proposed Size / Units	0.25 AC	Lifespan	10 Years
Actual Size/Units	0.25 AC	Installed Date	14-Jun-18
Mapped Activities	1 Polygon(s)	Technical Assistance Provider	

Activity Action - 2018-048			
Practice	393 - Filter Strip	Count of Activities	1
Description	grass buffer installation		
Proposed Size / Units	1.00 AC	Lifespan	10 Years
Actual Size/Units	1.00 AC	Installed Date	18-Jun-18
Mapped Activities	1 Polygon(s)	Technical Assistance Provider	

Activity Action - 2018-086			
Practice	393 - Filter Strip	Count of Activities	1
Description	grass buffer installation		
Proposed Size / Units	1.00 AC	Lifespan	10 Years
Actual Size/Units	1.00 AC	Installed Date	22-Jun-18
Mapped Activities	1 Polygon(s)	Technical Assistance Provider	

Activity Action - 2018-168			
Practice	393 - Filter Strip	Count of Activities	1
Description	grass buffer installation		
Proposed Size / Units	0.25 AC	Lifespan	10 Years
Actual Size/Units	0.25 AC	Installed Date	9-Jul-18
Mapped Activities	1 Polygon(s)	Technical Assistance Provider	

Activity Action - 2018-007			
Practice	393 - Filter Strip	Count of Activities	3
Description	grass buffer installation		
Proposed Size / Units	3.50 AC	Lifespan	10 Years
Actual Size/Units	3.50 AC	Installed Date	10-Jul-18
Mapped Activities	3 Polygon(s)	Technical Assistance Provider	

Activity Action - 2018-008			
Practice	393 - Filter Strip	Count of Activities	1
Description	grass buffer installation; the rest is in CRP		
Proposed Size / Units	0.25 AC	Lifespan	10 Years
Actual Size/Units	0.25 AC	Installed Date	10-Jul-18
Mapped Activities	1 Polygon(s)	Technical Assistance Provider	

Activity Action - 2018-010			
Practice	393 - Filter Strip	Count of Activities	3
Description	grass buffer installation		
Proposed Size / Units	2.00 AC	Lifespan	10 Years
Actual Size/Units	2.00 AC	Installed Date	10-Jul-18
Mapped Activities	3 Polygon(s)	Technical Assistance Provider	

Activity Action - 2018-009			
Practice	393 - Filter Strip	Count of Activities	1
Description	grass buffer installation		
Proposed Size / Units	0.50 AC	Lifespan	10 Years
Actual Size/Units	0.50 AC	Installed Date	10-Jul-18
Mapped Activities	1 Polygon(s)	Technical Assistance Provider	

Activity Action - 2018-006			
Practice	393 - Filter Strip	Count of Activities	1
Description	grass buffer installation		
Proposed Size / Units	1.00 AC	Lifespan	10 Years
Actual Size/Units	1.00 AC	Installed Date	10-Jul-18
Mapped Activities	1 Polygon(s)	Technical Assistance Provider	

Activity Action - 2018-151			
Practice	393 - Filter Strip	Count of Activities	1
Description	grass buffer installation		
Proposed Size / Units	0.50 AC	Lifespan	10 Years
Actual Size/Units	0.50 AC	Installed Date	10-Jul-18
Mapped Activities	1 Polygon(s)	Technical Assistance Provider	

Activity Action - 2018-150			
Practice	393 - Filter Strip	Count of Activities	1
Description	grass buffer installation		
Proposed Size / Units	1.25 AC	Lifespan	10 Years
Actual Size/Units	1.25 AC	Installed Date	10-Jul-18
Mapped Activities	1 Polygon(s)	Technical Assistance Provider	

Activity Action - 2018-123			
Practice	393 - Filter Strip	Count of Activities	3
Description	3.5 acres of buffer installed		
Proposed Size / Units	3.50 AC	Lifespan	10 Years
Actual Size/Units	3.50 AC	Installed Date	27-Jul-18
Mapped Activities	3 Polygon(s)	Technical Assistance Provider	

Activity Action - 2018-014			
Practice	393 - Filter Strip	Count of Activities	2
Description	2.0 acres of grass buffer installed		
Proposed Size / Units	2.00 AC	Lifespan	10 Years
Actual Size/Units	2.00 AC	Installed Date	27-Sep-18
Mapped Activities	2 Polygon(s)	Technical Assistance Provider	

Activity Action - 2018-015			
Practice	393 - Filter Strip	Count of Activities	2
Description	1 acre of grass buffer installed		
Proposed Size / Units	1.00 AC	Lifespan	10 Years
Actual Size/Units	1.00 AC	Installed Date	27-Sep-18
Mapped Activities	2 Polygon(s)	Technical Assistance Provider	

Activity Action - 2018-033			
Practice	393 - Filter Strip	Count of Activities	1
Description	grass buffer is installed on 2.25 ac		
Proposed Size / Units	2.25 AC	Lifespan	10 Years
Actual Size/Units	2.25 AC	Installed Date	26-Sep-18
Mapped Activities	1 Polygon(s)	Technical Assistance Provider	

Activity Action - 2018-018			
Practice	393 - Filter Strip	Count of Activities	1
Description	grass buffer installed on 0.5 ac		
Proposed Size / Units	0.50 AC	Lifespan	10 Years
Actual Size/Units	0.50 AC	Installed Date	27-Sep-18
Mapped Activities	1 Polygon(s)	Technical Assistance Provider	

Activity Action - 2018-019			
Practice	393 - Filter Strip	Count of Activities	7
Description	4.75 acres of grass buffer installed		
Proposed Size / Units	4.75 AC	Lifespan	10 Years
Actual Size/Units	4.75 AC	Installed Date	27-Sep-18
Mapped Activities	7 Polygon(s)	Technical Assistance Provider	

Activity Action - 2018-185			
Practice	393 - Filter Strip	Count of Activities	1
Description	0.75 acres were planted to grass.		
Proposed Size / Units	0.75 AC	Lifespan	10 Years
Actual Size/Units	0.75 AC	Installed Date	27-Sep-18
Mapped Activities	1 Polygon(s)	Technical Assistance Provider	

Activity Action - 2018-191			
Practice	393 - Filter Strip	Count of Activities	1
Description	0.75 acres planted to grass		
Proposed Size / Units	0.75 AC	Lifespan	10 Years
Actual Size/Units	0.75 AC	Installed Date	27-Sep-18
Mapped Activities	1 Polygon(s)	Technical Assistance Provider	

Activity Action - 2018-049			
Practice	393 - Filter Strip	Count of Activities	1
Description	50 ft buffer installation		
Proposed Size / Units	1.50 AC	Lifespan	10 Years
Actual Size/Units	1.50 AC	Installed Date	12-Oct-18
Mapped Activities	1 Polygon(s)	Technical Assistance Provider	

Activity Action - 2018-050			
Practice	393 - Filter Strip	Count of Activities	2
Description	50 ft buffer installatin		
Proposed Size / Units	8.00 AC	Lifespan	10 Years
Actual Size/Units	8.00 AC	Installed Date	12-Oct-18
Mapped Activities	1 Polygon(s)	Technical Assistance Provider	

Activity Action - 2018-003			
Practice	393 - Filter Strip	Count of Activities	1
Description	2 acres of buffer installed		
Proposed Size / Units	2.00 AC	Lifespan	10 Years
Actual Size/Units	2.00 AC	Installed Date	26-Oct-18
Mapped Activities	1 Polygon(s)	Technical Assistance Provider	

Activity Action - 2018-004			
Practice	393 - Filter Strip	Count of Activities	2
Description	1.5 ac of buffer installed		
Proposed Size / Units	1.50 AC	Lifespan	10 Years
Actual Size/Units	1.50 AC	Installed Date	26-Oct-18
Mapped Activities	2 Polygon(s)	Technical Assistance Provider	

Activity Action - 2018-098			
Practice	393 - Filter Strip	Count of Activities	1
Description	buffer installation		
Proposed Size / Units	0.75 AC	Lifespan	10 Years
Actual Size/Units	0.75 AC	Installed Date	26-Oct-18
Mapped Activities	1 Polygon(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-099			
Practice	393 - Filter Strip	Count of Activities	1
Description	1 ac of buffer installed		
Proposed Size / Units	1.00 AC	Lifespan	10 Years
Actual Size/Units	1.00 AC	Installed Date	26-Oct-18
Mapped Activities	1 Polygon(s)	Technical Assistance Provider	

Activity Action - 2018-166			
Practice	393 - Filter Strip	Count of Activities	1
Description	0.5 ac of buffer installed		
Proposed Size / Units	0.50 AC	Lifespan	10 Years
Actual Size/Units	0.50 AC	Installed Date	17-Aug-18
Mapped Activities	1 Polygon(s)	Technical Assistance Provider	

Activity Action - 2018-189			
Practice	393 - Filter Strip	Count of Activities	2
Description	1.75 ac of buffer installed		
Proposed Size / Units	1.75 AC	Lifespan	10 Years
Actual Size/Units	1.75 AC	Installed Date	23-Oct-18
Mapped Activities	2 Polygon(s)	Technical Assistance Provider	

Activity Action - 2018-032			
Practice	393 - Filter Strip	Count of Activities	7
Description	10 acres of buffer strips were seeded		
Proposed Size / Units	10.00 AC	Lifespan	10 Years
Actual Size/Units	10.00 AC	Installed Date	10-Oct-18
Mapped Activities	7 Polygon(s)	Technical Assistance Provider	

Activity Action - 2018-053			
Practice	393 - Filter Strip	Count of Activities	1
Description	1 acre of buffer was planted		
Proposed Size / Units	1.00 AC	Lifespan	10 Years
Actual Size/Units	1.00 AC	Installed Date	10-Oct-18
Mapped Activities	1 Polygon(s)	Technical Assistance Provider	

Activity Action - 2018-054			
Practice	393 - Filter Strip	Count of Activities	1
Description	1 acre of buffer was planted		
Proposed Size / Units	1.00 AC	Lifespan	10 Years
Actual Size/Units	1.00 AC	Installed Date	10-Oct-18
Mapped Activities	1 Polygon(s)	Technical Assistance Provider	

Activity Action - 2018-055			
Practice	393 - Filter Strip	Count of Activities	3
Description	1.5 acres of buffer were planted		
Proposed Size / Units	1.50 AC	Lifespan	10 Years
Actual Size/Units	1.50 AC	Installed Date	10-Oct-18
Mapped Activities	3 Polygon(s)	Technical Assistance Provider	

Activity Action - 2018-199			
Practice	393 - Filter Strip	Count of Activities	2
Description	2 acres of buffer were planted		
Proposed Size / Units	2.00 AC	Lifespan	10 Years
Actual Size/Units	2.00 AC	Installed Date	26-Oct-18
Mapped Activities	2 Polygon(s)	Technical Assistance Provider	

Activity Action - 2018-198			
Practice	393 - Filter Strip	Count of Activities	1
Description	1 acre of buffer was planted		
Proposed Size / Units	1.00 AC	Lifespan	10 Years
Actual Size/Units	1.00 AC	Installed Date	28-Sep-18
Mapped Activities	1 Polygon(s)	Technical Assistance Provider	

Activity Action - 2018-124			
Practice	393 - Filter Strip	Count of Activities	6
Description	7.25 acres of buffer were planted		
Proposed Size / Units	7.25 AC	Lifespan	10 Years
Actual Size/Units	7.25 AC	Installed Date	8-Oct-18
Mapped Activities	6 Polygon(s)	Technical Assistance Provider	

Activity Action - 2018-122			
Practice	393 - Filter Strip	Count of Activities	2
Description	1.5 ac were seeded to buffer		
Proposed Size / Units	1.50 AC	Lifespan	10 Years
Actual Size/Units	1.50 AC	Installed Date	10-Oct-18
Mapped Activities	2 Polygon(s)	Technical Assistance Provider	

Activity Action - 2018-148			
Practice	393 - Filter Strip	Count of Activities	2
Description	1.5 ac were planted to buffer		
Proposed Size / Units	1.50 AC	Lifespan	10 Years
Actual Size/Units	1.50 AC	Installed Date	10-Oct-18
Mapped Activities	2 Polygon(s)	Technical Assistance Provider	

Activity Action - 2018-195			
Practice	393 - Filter Strip	Count of Activities	1
Description	1 ac of buffer was planted		
Proposed Size / Units	1.00 AC	Lifespan	10 Years
Actual Size/Units	1.00 AC	Installed Date	10-Oct-18
Mapped Activities	1 Polygon(s)	Technical Assistance Provider	

Activity Action - 2018-153			
Practice	393 - Filter Strip	Count of Activities	2
Description	3 ac of buffer were planted		
Proposed Size / Units	3.00 AC	Lifespan	10 Years
Actual Size/Units	3.00 AC	Installed Date	10-Oct-18
Mapped Activities	2 Polygon(s)	Technical Assistance Provider	

Activity Action - 2018-196			
Practice	393 - Filter Strip	Count of Activities	2
Description	2 ac were planted to buffer		
Proposed Size / Units	2.00 AC	Lifespan	10 Years
Actual Size/Units	2.00 AC	Installed Date	11-Oct-18
Mapped Activities	2 Polygon(s)	Technical Assistance Provider	

Activity Action - 2018-061			
Practice	393 - Filter Strip	Count of Activities	1
Description	1.5 ac were planted to buffer		
Proposed Size / Units	1.50 AC	Lifespan	10 Years
Actual Size/Units	1.50 AC	Installed Date	23-Oct-18
Mapped Activities	1 Polygon(s)	Technical Assistance Provider	

Activity Action - 2018-062			
Practice	393 - Filter Strip	Count of Activities	1
Description	0.5 ac was planted to buffer		
Proposed Size / Units	0.50 AC	Lifespan	10 Years
Actual Size/Units	0.50 AC	Installed Date	30-Oct-18
Mapped Activities	1 Polygon(s)	Technical Assistance Provider	

Activity Action - 2018-070			
Practice	393 - Filter Strip	Count of Activities	1
Description	1.5 ac were planted to buffer		
Proposed Size / Units	1.50 AC	Lifespan	10 Years
Actual Size/Units	1.50 AC	Installed Date	15-Oct-18
Mapped Activities	1 Polygon(s)	Technical Assistance Provider	

Activity Action - 2018-127			
Practice	393 - Filter Strip	Count of Activities	1
Description	0.75 ac was planted to buffer		
Proposed Size / Units	0.75 AC	Lifespan	10 Years
Actual Size/Units	0.75 AC	Installed Date	30-Oct-18
Mapped Activities	1 Polygon(s)	Technical Assistance Provider	

Activity Action - 2018-126			
Practice	393 - Filter Strip	Count of Activities	2
Description	2 ac were planted to buffer		
Proposed Size / Units	2.00 AC	Lifespan	10 Years
Actual Size/Units	2.00 AC	Installed Date	30-Oct-18
Mapped Activities	2 Polygon(s)	Technical Assistance Provider	

Activity Action - 2018-192			
Practice	393 - Filter Strip	Count of Activities	1
Description	1.5 ac of buffer were planted		
Proposed Size / Units	1.50 AC	Lifespan	10 Years
Actual Size/Units	1.50 AC	Installed Date	30-Oct-18
Mapped Activities	1 Polygon(s)	Technical Assistance Provider	

Activity Action - 2018-067			
Practice	393 - Filter Strip	Count of Activities	2
Description	2 ac of buffer were installed		
Proposed Size / Units	2.00 AC	Lifespan	10 Years
Actual Size/Units	2.00 AC	Installed Date	12-Oct-18
Mapped Activities	2 Polygon(s)	Technical Assistance Provider	

Activity Action - 2018-068			
Practice	393 - Filter Strip	Count of Activities	2
Description	1 ac planted to buffer		
Proposed Size / Units	1.00 AC	Lifespan	10 Years
Actual Size/Units	1.00 AC	Installed Date	12-Oct-18
Mapped Activities	2 Polygon(s)	Technical Assistance Provider	

Activity Action - 2018-200			
Practice	393 - Filter Strip	Count of Activities	2
Description	1.25 ac were planted to buffer		
Proposed Size / Units	1.25 AC	Lifespan	10 Years
Actual Size/Units	1.25 AC	Installed Date	20-Sep-18
Mapped Activities	1 Polygon(s)	Technical Assistance Provider	

Activity Action - 2018-190			
Practice	393 - Filter Strip	Count of Activities	2
Description	1.5 ac of buffer		
Proposed Size / Units	1.50 AC	Lifespan	10 Years
Actual Size/Units	1.50 AC	Installed Date	10-Jun-19
Mapped Activities	2 Polygon(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-135			
Practice	393 - Filter Strip	Count of Activities	1
Description	1 ac of buffer was planted		
Proposed Size / Units	1.00 AC	Lifespan	10 Years
Actual Size/Units	1.00 AC	Installed Date	31-Oct-18
Mapped Activities	1 Polygon(s)	Technical Assistance Provider	

Activity Action - 2018-134			
Practice	393 - Filter Strip	Count of Activities	1
Description	0.5 ac of buffer was planted		
Proposed Size / Units	0.50 AC	Lifespan	10 Years
Actual Size/Units	0.50 AC	Installed Date	31-Oct-18
Mapped Activities	1 Polygon(s)	Technical Assistance Provider	

Activity Action - 2018-106			
Practice	393 - Filter Strip	Count of Activities	1
Description	1 ac of buffer installed		
Proposed Size / Units	1.00 AC	Lifespan	10 Years
Actual Size/Units	1.00 AC	Installed Date	26-Oct-18
Mapped Activities	1 Polygon(s)	Technical Assistance Provider	

Activity Action - 2018-128			
Practice	393 - Filter Strip	Count of Activities	1
Description	1 ac of buffer installed		
Proposed Size / Units	1.00 AC	Lifespan	10 Years
Actual Size/Units	1.00 AC	Installed Date	26-Oct-18
Mapped Activities	1 Polygon(s)	Technical Assistance Provider	

Activity Action - 2018-129			
Practice	393 - Filter Strip	Count of Activities	1
Description	.5 ac of buffer installed		
Proposed Size / Units	0.50 AC	Lifespan	10 Years
Actual Size/Units	0.50 AC	Installed Date	26-Oct-18
Mapped Activities	1 Polygon(s)	Technical Assistance Provider	

Activity Action - 2018-107			
Practice	393 - Filter Strip	Count of Activities	5
Description	8 acres of buffer installed		
Proposed Size / Units	8.00 AC	Lifespan	10 Years
Actual Size/Units	8.00 AC	Installed Date	9-Oct-18
Mapped Activities	5 Polygon(s)	Technical Assistance Provider	

Activity Action - 2018-039			
Practice	393 - Filter Strip	Count of Activities	1
Description	1.5 acres of buffer installed		
Proposed Size / Units	1.50 AC	Lifespan	10 Years
Actual Size/Units	1.50 AC	Installed Date	9-Oct-18
Mapped Activities	1 Polygon(s)	Technical Assistance Provider	

Activity Action - 2018-108			
Practice	393 - Filter Strip	Count of Activities	3
Description	2 acres of buffer was installed		
Proposed Size / Units	2.00 AC	Lifespan	10 Years
Actual Size/Units	2.00 AC	Installed Date	9-Oct-18
Mapped Activities	3 Polygon(s)	Technical Assistance Provider	

Activity Action - 2018-181			
Practice	393 - Filter Strip	Count of Activities	1
Description	1 acre of buffer was installed		
Proposed Size / Units	1.00 AC	Lifespan	10 Years
Actual Size/Units	1.00 AC	Installed Date	25-May-18
Mapped Activities	1 Polygon(s)	Technical Assistance Provider	

Activity Action - 2018-201			
Practice	393 - Filter Strip	Count of Activities	1
Description	1 ac of buffer installed		
Proposed Size / Units	1.00 AC	Lifespan	10 Years
Actual Size/Units	1.00 AC	Installed Date	24-Oct-18
Mapped Activities	1 Polygon(s)	Technical Assistance Provider	

Activity Action - 2018-063			
Practice	410 - Grade Stabilization Structure	Count of Activities	2
Description	2 SWI's; TSA design & survey - Jim Hest		
Proposed Size / Units	2.00 COUNT	Lifespan	10 Years
Actual Size/Units	2.00 COUNT	Installed Date	18-Dec-19
Mapped Activities	2 Point(s)	Technical Assistance Provider	TSA

Activity Action - 2018-120			
Practice	410 - Grade Stabilization Structure	Count of Activities	3
Description	3 SWI's; TSA design & survey signoff - Jim Hest		
Proposed Size / Units	3.00 COUNT	Lifespan	10 Years
Actual Size/Units	3.00 COUNT	Installed Date	18-Dec-19
Mapped Activities	3 Point(s)	Technical Assistance Provider	TSA

Activity Action - 2018-176			
Practice	410 - Grade Stabilization Structure	Count of Activities	2
Description	2 SWI's; TSA survey & design signoff - Jim Hest		
Proposed Size / Units	2.00 COUNT	Lifespan	10 Years
Actual Size/Units	2.00 COUNT	Installed Date	18-Dec-19
Mapped Activities	2 Point(s)	Technical Assistance Provider	TSA

Activity Action - 2018-224			
Practice	410 - Grade Stabilization Structure	Count of Activities	3
Description	3 SWIs; TSA Design & Survey signoff - Jim Hest		
Proposed Size / Units	3.00 COUNT	Lifespan	10 Years
Actual Size/Units	3.00 COUNT	Installed Date	18-Dec-19
Mapped Activities	3 Point(s)	Technical Assistance Provider	TSA

Activity Action - 2018-223			
Practice	410 - Grade Stabilization Structure	Count of Activities	1
Description	1 SWI; TSA Design & Survey signoff - Jim Hest		
Proposed Size / Units	1.00 COUNT	Lifespan	10 Years
Actual Size/Units	1.00 COUNT	Installed Date	18-Dec-19
Mapped Activities	1 Point(s)	Technical Assistance Provider	TSA

Activity Action - 2018-225			
Practice	393 - Filter Strip	Count of Activities	1
Description	buffer along ditch system		
Proposed Size / Units	1.50 AC	Lifespan	10 Years
Actual Size/Units	1.50 AC	Installed Date	28-Jun-20
Mapped Activities	1 Polygon(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-157			
Practice	393 - Filter Strip	Count of Activities	1
Description	buffer installation along ditch system		
Proposed Size / Units	0.50 AC	Lifespan	10 Years
Actual Size/Units	0.50 AC	Installed Date	3-Aug-20
Mapped Activities	1 Polygon(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-158			
Practice	410 - Grade Stabilization Structure	Count of Activities	2
Description	2 SWI's; TSA design & survey signoff - Jim Hest		
Proposed Size / Units	2.00 COUNT	Lifespan	10 Years
Actual Size/Units	2.00 COUNT	Installed Date	3-Aug-20
Mapped Activities	2 Point(s)	Technical Assistance Provider	TSA

Activity Action - 2018-158			
Practice	393 - Filter Strip	Count of Activities	2
Description	5' buffer along ditch system because of SWI installation		
Proposed Size / Units	0.30 AC	Lifespan	10 Years
Actual Size/Units	0.30 AC	Installed Date	3-Aug-20
Mapped Activities	2 Polygon(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-031			
Practice	393 - Filter Strip	Count of Activities	1
Description	8 ft buffer installed, SWIs installed		
Proposed Size / Units	0.75 AC	Lifespan	10 Years
Actual Size/Units	0.75 AC	Installed Date	3-Sep-19
Mapped Activities	1 Polygon(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-031			
Practice	410 - Grade Stabilization Structure	Count of Activities	3
Description	3 SWIs, TSA design & survey signoff - Jim Hest		
Proposed Size / Units	3.00 COUNT	Lifespan	10 Years
Actual Size/Units	3.00 COUNT	Installed Date	7-Aug-20
Mapped Activities	3 Point(s)	Technical Assistance Provider	TSA

Activity Action - 2018-226			
Practice	393 - Filter Strip	Count of Activities	2
Description	buffer installation		
Proposed Size / Units	1.00 AC	Lifespan	10 Years
Actual Size/Units	1.00 AC	Installed Date	15-Jul-20
Mapped Activities	2 Polygon(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-230			
Practice	393 - Filter Strip	Count of Activities	1
Description	buffer installation		
Proposed Size / Units	1.50 AC	Lifespan	10 Years
Actual Size/Units	1.50 AC	Installed Date	11-Aug-20
Mapped Activities	1 Polygon(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-076			
Practice	393 - Filter Strip	Count of Activities	1
Description	buffer installation		
Proposed Size / Units	1.50 AC	Lifespan	10 Years
Actual Size/Units	1.50 AC	Installed Date	11-Aug-20
Mapped Activities	1 Polygon(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-227			
Practice	393 - Filter Strip	Count of Activities	2
Description	buffer installation		
Proposed Size / Units	2.00 AC	Lifespan	10 Years
Actual Size/Units	2.00 AC	Installed Date	23-Oct-18
Mapped Activities	2 Polygon(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-228			
Practice	393 - Filter Strip	Count of Activities	2
Description	buffer installation		
Proposed Size / Units	2.50 AC	Lifespan	10 Years
Actual Size/Units	2.50 AC	Installed Date	11-Aug-20
Mapped Activities	2 Polygon(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-229			
Practice	393 - Filter Strip	Count of Activities	1
Description	buffer installation		
Proposed Size / Units	1.00 AC	Lifespan	10 Years
Actual Size/Units	1.00 AC	Installed Date	23-Oct-18
Mapped Activities	1 Polygon(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-215			
Practice	393 - Filter Strip	Count of Activities	1
Description	buffer installation		
Proposed Size / Units	0.75 AC	Lifespan	10 Years
Actual Size/Units	0.75 AC	Installed Date	3-Aug-20
Mapped Activities	1 Polygon(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-154			
Practice	393 - Filter Strip	Count of Activities	1
Description	buffer installation		
Proposed Size / Units	1.75 AC	Lifespan	10 Years
Actual Size/Units	1.75 AC	Installed Date	11-May-18
Mapped Activities	1 Polygon(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-144			
Practice	393 - Filter Strip	Count of Activities	1
Description	buffer installation		
Proposed Size / Units	0.75 AC	Lifespan	10 Years
Actual Size/Units	0.75 AC	Installed Date	6-Aug-20
Mapped Activities	1 Polygon(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-133			
Practice	393 - Filter Strip	Count of Activities	1
Description	buffer installation		
Proposed Size / Units	1.00 AC	Lifespan	10 Years
Actual Size/Units	1.00 AC	Installed Date	21-May-19
Mapped Activities	1 Polygon(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-213			
Practice	393 - Filter Strip	Count of Activities	1
Description	buffer installation		
Proposed Size / Units	3.00 AC	Lifespan	10 Years
Actual Size/Units	3.00 AC	Installed Date	15-Jun-20
Mapped Activities	1 Polygon(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-161			
Practice	393 - Filter Strip	Count of Activities	2
Description	buffer installation		
Proposed Size / Units	2.00 AC	Lifespan	10 Years
Actual Size/Units	2.00 AC	Installed Date	24-Jun-20
Mapped Activities	2 Polygon(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-159			
Practice	393 - Filter Strip	Count of Activities	1
Description	buffer installation		
Proposed Size / Units	0.50 AC	Lifespan	10 Years
Actual Size/Units	0.50 AC	Installed Date	24-Jun-20
Mapped Activities	1 Polygon(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-163			
Practice	393 - Filter Strip	Count of Activities	1
Description	buffer installation		
Proposed Size / Units	2.00 AC	Lifespan	10 Years
Actual Size/Units	2.00 AC	Installed Date	24-Jun-20
Mapped Activities	1 Polygon(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-011			
Practice	393 - Filter Strip	Count of Activities	4
Description	buffer installation		
Proposed Size / Units	9.50 AC	Lifespan	10 Years
Actual Size/Units	9.50 AC	Installed Date	11-Jun-20
Mapped Activities	4 Polygon(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-043			
Practice	393 - Filter Strip	Count of Activities	2
Description	grass installation on ditch and public waters		
Proposed Size / Units	8.00 AC	Lifespan	10 Years
Actual Size/Units	8.00 AC	Installed Date	12-Aug-20
Mapped Activities	2 Polygon(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-180			
Practice	393 - Filter Strip	Count of Activities	1
Description	grass installation of buffer		
Proposed Size / Units	0.50 AC	Lifespan	10 Years
Actual Size/Units	0.50 AC	Installed Date	12-Aug-20
Mapped Activities	1 Polygon(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-046			
Practice	393 - Filter Strip	Count of Activities	1
Description	grass buffer installation		
Proposed Size / Units	2.50 AC	Lifespan	10 Years
Actual Size/Units	2.50 AC	Installed Date	13-Aug-20
Mapped Activities	1 Polygon(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-214			
Practice	393 - Filter Strip	Count of Activities	1
Description	grass buffer installation		
Proposed Size / Units	0.50 AC	Lifespan	10 Years
Actual Size/Units	0.50 AC	Installed Date	10-Aug-20
Mapped Activities	1 Polygon(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-095			
Practice	393 - Filter Strip	Count of Activities	1
Description	buffer installation		
Proposed Size / Units	1.00 AC	Lifespan	10 Years
Actual Size/Units	1.00 AC	Installed Date	9-Oct-19
Mapped Activities	1 Polygon(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-085			
Practice	393 - Filter Strip	Count of Activities	2
Description	buffer installation		
Proposed Size / Units	2.00 AC	Lifespan	10 Years
Actual Size/Units	2.00 AC	Installed Date	10-Aug-20
Mapped Activities	2 Polygon(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-231			
Practice	393 - Filter Strip	Count of Activities	2
Description	buffer installation		
Proposed Size / Units	2.00 AC	Lifespan	10 Years
Actual Size/Units	2.00 AC	Installed Date	24-Jul-20
Mapped Activities	2 Polygon(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-232			
Practice	393 - Filter Strip	Count of Activities	1
Description	buffer installation		
Proposed Size / Units	1.00 AC	Lifespan	10 Years
Actual Size/Units	1.00 AC	Installed Date	24-Jul-20
Mapped Activities	1 Polygon(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-245			
Practice	393 - Filter Strip	Count of Activities	2
Description	buffer installation		
Proposed Size / Units	2.00 AC	Lifespan	10 Years
Actual Size/Units	2.00 AC	Installed Date	21-Aug-20
Mapped Activities	2 Polygon(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-235			
Practice	393 - Filter Strip	Count of Activities	1
Description	buffer installation		
Proposed Size / Units	6.50 AC	Lifespan	10 Years
Actual Size/Units	6.50 AC	Installed Date	31-May-20
Mapped Activities	4 Polygon(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-236			
Practice	393 - Filter Strip	Count of Activities	1
Description	buffer installation		
Proposed Size / Units	0.50 AC	Lifespan	10 Years
Actual Size/Units	0.50 AC	Installed Date	24-Oct-18
Mapped Activities	1 Polygon(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-237			
Practice	393 - Filter Strip	Count of Activities	1
Description	buffer installation		
Proposed Size / Units	1.00 AC	Lifespan	10 Years
Actual Size/Units	1.00 AC	Installed Date	14-Sep-18
Mapped Activities	1 Polygon(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-238			
Practice	393 - Filter Strip	Count of Activities	1
Description	buffer installation		
Proposed Size / Units	7.00 AC	Lifespan	10 Years
Actual Size/Units	7.00 AC	Installed Date	1-Sep-20
Mapped Activities	1 Polygon(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-239			
Practice	393 - Filter Strip	Count of Activities	1
Description	buffer installation		
Proposed Size / Units	0.50 AC	Lifespan	10 Years
Actual Size/Units	0.50 AC	Installed Date	10-Sep-20
Mapped Activities	1 Polygon(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-240			
Practice	393 - Filter Strip	Count of Activities	1
Description	buffer installation		
Proposed Size / Units	0.50 AC	Lifespan	10 Years
Actual Size/Units	0.50 AC	Installed Date	24-Oct-18
Mapped Activities	1 Polygon(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-241			
Practice	393 - Filter Strip	Count of Activities	1
Description	buffer installation		
Proposed Size / Units	2.00 AC	Lifespan	10 Years
Actual Size/Units	2.00 AC	Installed Date	15-Jul-19
Mapped Activities	2 Polygon(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-242			
Practice	393 - Filter Strip	Count of Activities	1
Description	buffer installation		
Proposed Size / Units	0.50 AC	Lifespan	10 Years
Actual Size/Units	0.50 AC	Installed Date	30-Aug-18
Mapped Activities	1 Polygon(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-247			
Practice	393 - Filter Strip	Count of Activities	1
Description	buffer installation		
Proposed Size / Units	0.50 AC	Lifespan	10 Years
Actual Size/Units	0.50 AC	Installed Date	21-Sep-20
Mapped Activities	1 Polygon(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-160			
Practice	393 - Filter Strip	Count of Activities	2
Description	buffer installation		
Proposed Size / Units	0.50 AC	Lifespan	10 Years
Actual Size/Units	0.50 AC	Installed Date	5-May-20
Mapped Activities	2 Polygon(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-160			
Practice	410 - Grade Stabilization Structure	Count of Activities	3
Description	SWI installation		
Proposed Size / Units	3.00 COUNT	Lifespan	10 Years
Actual Size/Units	3.00 COUNT	Installed Date	14-Jul-20
Mapped Activities	3 Point(s)	Technical Assistance Provider	TSA

Activity Action - 2018-149			
Practice	410 - Grade Stabilization Structure	Count of Activities	5
Description	SWI installation		
Proposed Size / Units	5.00 COUNT	Lifespan	10 Years
Actual Size/Units	5.00 COUNT	Installed Date	12-Nov-20
Mapped Activities	5 Point(s)	Technical Assistance Provider	TSA

Activity Action - 2018-256			
Practice	410 - Grade Stabilization Structure	Count of Activities	4
Description	SWI installation		
Proposed Size / Units	4.00 COUNT	Lifespan	10 Years
Actual Size/Units	4.00 COUNT	Installed Date	12-Nov-20
Mapped Activities	4 Point(s)	Technical Assistance Provider	TSA

Activity Action - 2018-257			
Practice	393 - Filter Strip	Count of Activities	2
Description	buffer installation		
Proposed Size / Units	1.50 AC	Lifespan	10 Years
Actual Size/Units	1.50 AC	Installed Date	16-Sep-20
Mapped Activities	2 Polygon(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-246			
Practice	393 - Filter Strip	Count of Activities	1
Description	buffer installation		
Proposed Size / Units	0.50 AC	Lifespan	10 Years
Actual Size/Units	0.50 AC	Installed Date	16-Sep-20
Mapped Activities	1 Polygon(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-248			
Practice	393 - Filter Strip	Count of Activities	1
Description	buffer installation		
Proposed Size / Units	0.50 AC	Lifespan	10 Years
Actual Size/Units	0.50 AC	Installed Date	29-Sep-20
Mapped Activities	1 Polygon(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-249			
Practice	393 - Filter Strip	Count of Activities	2
Description	buffer installation		
Proposed Size / Units	3.50 AC	Lifespan	10 Years
Actual Size/Units	3.50 AC	Installed Date	30-Sep-20
Mapped Activities	2 Polygon(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-254			
Practice	393 - Filter Strip	Count of Activities	1
Description	buffer installation		
Proposed Size / Units	1.50 AC	Lifespan	10 Years
Actual Size/Units	1.50 AC	Installed Date	14-Oct-20
Mapped Activities	1 Polygon(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-174			
Practice	393 - Filter Strip	Count of Activities	4
Description	buffer installation		
Proposed Size / Units	3.50 AC	Lifespan	10 Years
Actual Size/Units	3.50 AC	Installed Date	12-Oct-20
Mapped Activities	4 Polygon(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-244			
Practice	393 - Filter Strip	Count of Activities	1
Description	buffer installation		
Proposed Size / Units	0.50 AC	Lifespan	10 Years
Actual Size/Units	0.50 AC	Installed Date	18-Sep-20
Mapped Activities	1 Polygon(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-233			
Practice	393 - Filter Strip	Count of Activities	1
Description	buffer installation		
Proposed Size / Units	5.00 AC	Lifespan	10 Years
Actual Size/Units	5.00 AC	Installed Date	11-Aug-20
Mapped Activities	1 Polygon(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-234			
Practice	393 - Filter Strip	Count of Activities	1
Description	Buffer installation		
Proposed Size / Units	1.50 AC	Lifespan	10 Years
Actual Size/Units	1.50 AC	Installed Date	21-Sep-20
Mapped Activities	1 Polygon(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-147			
Practice	393 - Filter Strip	Count of Activities	1
Description	buffer installation		
Proposed Size / Units	0.50 AC	Lifespan	10 Years
Actual Size/Units	0.50 AC	Installed Date	25-Aug-20
Mapped Activities	1 Polygon(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-146			
Practice	393 - Filter Strip	Count of Activities	1
Description	buffer installation		
Proposed Size / Units	0.50 AC	Lifespan	10 Years
Actual Size/Units	0.50 AC	Installed Date	8-Sep-20
Mapped Activities	1 Polygon(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-145			
Practice	393 - Filter Strip	Count of Activities	1
Description	buffer installation		
Proposed Size / Units	0.50 AC	Lifespan	10 Years
Actual Size/Units	0.50 AC	Installed Date	8-Sep-20
Mapped Activities	1 Polygon(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-005			
Practice	410 - Grade Stabilization Structure	Count of Activities	2
Description	SWI installation		
Proposed Size / Units	2.00 COUNT	Lifespan	10 Years
Actual Size/Units	2.00 COUNT	Installed Date	4-Jun-20
Mapped Activities	2 Point(s)	Technical Assistance Provider	TSA

Activity Action - 2018-066			
Practice	410 - Grade Stabilization Structure	Count of Activities	1
Description	SWI installation		
Proposed Size / Units	1.00 COUNT	Lifespan	10 Years
Actual Size/Units	1.00 COUNT	Installed Date	19-Oct-20
Mapped Activities	1 Point(s)	Technical Assistance Provider	TSA

Activity Action - 2018-066			
Practice	393 - Filter Strip	Count of Activities	1
Description	buffer installation		
Proposed Size / Units	0.50 AC	Lifespan	10 Years
Actual Size/Units	0.50 AC	Installed Date	22-Oct-20
Mapped Activities	1 Polygon(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-065			
Practice	393 - Filter Strip	Count of Activities	8
Description	buffer installed		
Proposed Size / Units	10.50 AC	Lifespan	10 Years
Actual Size/Units	10.50 AC	Installed Date	15-Sep-18
Mapped Activities	8 Polygon(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-065			
Practice	410 - Grade Stabilization Structure	Count of Activities	10
Description	SWI installation		
Proposed Size / Units	10.00 COUNT	Lifespan	10 Years
Actual Size/Units	10.00 COUNT	Installed Date	10-Nov-20
Mapped Activities	10 Point(s)	Technical Assistance Provider	TSA

Activity Action - 2018-255			
Practice	393 - Filter Strip	Count of Activities	1
Description	buffer installation		
Proposed Size / Units	0.75 AC	Lifespan	10 Years
Actual Size/Units	0.75 AC	Installed Date	23-Oct-20
Mapped Activities	1 Polygon(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-001			
Practice	393 - Filter Strip	Count of Activities	1
Description	buffer installation		
Proposed Size / Units	0.50 AC	Lifespan	10 Years
Actual Size/Units	0.50 AC	Installed Date	11-Jul-19
Mapped Activities	1 Polygon(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-002			
Practice	393 - Filter Strip	Count of Activities	4
Description	buffer installation		
Proposed Size / Units	10.50 AC	Lifespan	10 Years
Actual Size/Units	10.50 AC	Installed Date	15-Jul-19
Mapped Activities	4 Polygon(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-044			
Practice	393 - Filter Strip	Count of Activities	1
Description	buffer installation		
Proposed Size / Units	7.00 AC	Lifespan	10 Years
Actual Size/Units	7.00 AC	Installed Date	12-Aug-19
Mapped Activities	1 Polygon(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-045			
Practice	393 - Filter Strip	Count of Activities	1
Description	buffer installation		
Proposed Size / Units	2.00 AC	Lifespan	10 Years
Actual Size/Units	2.00 AC	Installed Date	12-Aug-19
Mapped Activities	1 Polygon(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-016			
Practice	393 - Filter Strip	Count of Activities	1
Description	buffer installation		
Proposed Size / Units	1.50 AC	Lifespan	10 Years
Actual Size/Units	1.50 AC	Installed Date	14-Jul-19
Mapped Activities	1 Polygon(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-017			
Practice	393 - Filter Strip	Count of Activities	1
Description	buffer installation		
Proposed Size / Units	1.00 AC	Lifespan	10 Years
Actual Size/Units	1.00 AC	Installed Date	13-Jul-19
Mapped Activities	1 Polygon(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-113			
Practice	393 - Filter Strip	Count of Activities	3
Description	buffer installation		
Proposed Size / Units	4.50 AC	Lifespan	10 Years
Actual Size/Units	4.50 AC	Installed Date	13-Jul-19
Mapped Activities	3 Polygon(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-114			
Practice	393 - Filter Strip	Count of Activities	2
Description	buffer installation		
Proposed Size / Units	1.75 AC	Lifespan	10 Years
Actual Size/Units	1.75 AC	Installed Date	14-Jul-19
Mapped Activities	2 Polygon(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-115			
Practice	393 - Filter Strip	Count of Activities	2
Description	buffer installation		
Proposed Size / Units	3.00 AC	Lifespan	10 Years
Actual Size/Units	3.00 AC	Installed Date	14-Jul-19
Mapped Activities	2 Polygon(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-116			
Practice	393 - Filter Strip	Count of Activities	1
Description	buffer installation		
Proposed Size / Units	1.00 AC	Lifespan	10 Years
Actual Size/Units	1.00 AC	Installed Date	13-Jul-19
Mapped Activities	1 Polygon(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-117			
Practice	393 - Filter Strip	Count of Activities	1
Description	buffer installation		
Proposed Size / Units	1.00 AC	Lifespan	10 Years
Actual Size/Units	1.00 AC	Installed Date	13-Jul-19
Mapped Activities	1 Polygon(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-118			
Practice	393 - Filter Strip	Count of Activities	1
Description	buffer installation		
Proposed Size / Units	1.00 AC	Lifespan	10 Years
Actual Size/Units	1.00 AC	Installed Date	13-Jul-19
Mapped Activities	1 Polygon(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-119			
Practice	393 - Filter Strip	Count of Activities	1
Description	buffer installation		
Proposed Size / Units	0.50 AC	Lifespan	10 Years
Actual Size/Units	0.50 AC	Installed Date	14-Jul-19
Mapped Activities	1 Polygon(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-194			
Practice	393 - Filter Strip	Count of Activities	1
Description	buffer installation		
Proposed Size / Units	1.00 AC	Lifespan	10 Years
Actual Size/Units	1.00 AC	Installed Date	13-Jul-19
Mapped Activities	1 Polygon(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-197			
Practice	393 - Filter Strip	Count of Activities	1
Description	buffer installation		
Proposed Size / Units	1.00 AC	Lifespan	10 Years
Actual Size/Units	1.00 AC	Installed Date	14-Jul-19
Mapped Activities	1 Polygon(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-030			
Practice	393 - Filter Strip	Count of Activities	1
Description	buffer installation		
Proposed Size / Units	1.00 AC	Lifespan	10 Years
Actual Size/Units	1.00 AC	Installed Date	9-Aug-19
Mapped Activities	1 Polygon(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-056			
Practice	393 - Filter Strip	Count of Activities	1
Description	buffer installation		
Proposed Size / Units	1.00 AC	Lifespan	10 Years
Actual Size/Units	1.00 AC	Installed Date	5-Aug-19
Mapped Activities	1 Polygon(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-057			
Practice	393 - Filter Strip	Count of Activities	1
Description	buffer installation		
Proposed Size / Units	0.50 AC	Lifespan	10 Years
Actual Size/Units	0.50 AC	Installed Date	5-Aug-19
Mapped Activities	1 Polygon(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-059			
Practice	393 - Filter Strip	Count of Activities	1
Description	buffer installation		
Proposed Size / Units	1.00 AC	Lifespan	10 Years
Actual Size/Units	1.00 AC	Installed Date	5-Aug-19
Mapped Activities	1 Polygon(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-058			
Practice	393 - Filter Strip	Count of Activities	1
Description	buffer installation		
Proposed Size / Units	1.50 AC	Lifespan	10 Years
Actual Size/Units	1.50 AC	Installed Date	5-Aug-19
Mapped Activities	1 Polygon(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-027			
Practice	393 - Filter Strip	Count of Activities	1
Description	buffer installation		
Proposed Size / Units	1.50 AC	Lifespan	10 Years
Actual Size/Units	1.50 AC	Installed Date	1-Nov-18
Mapped Activities	1 Polygon(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-203			
Practice	393 - Filter Strip	Count of Activities	1
Description	buffer installation		
Proposed Size / Units	0.25 AC	Lifespan	10 Years
Actual Size/Units	0.25 AC	Installed Date	13-Mar-18
Mapped Activities	1 Polygon(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-204			
Practice	393 - Filter Strip	Count of Activities	1
Description	buffer installation		
Proposed Size / Units	1.00 AC	Lifespan	10 Years
Actual Size/Units	1.00 AC	Installed Date	12-Mar-18
Mapped Activities	1 Polygon(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-205			
Practice	393 - Filter Strip	Count of Activities	1
Description	buffer installation		
Proposed Size / Units	1.00 AC	Lifespan	10 Years
Actual Size/Units	1.00 AC	Installed Date	1-Nov-18
Mapped Activities	1 Polygon(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-092			
Practice	393 - Filter Strip	Count of Activities	2
Description	buffer installment		
Proposed Size / Units	2.00 AC	Lifespan	10 Years
Actual Size/Units	2.00 AC	Installed Date	1-Nov-18
Mapped Activities	2 Polygon(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-072			
Practice	393 - Filter Strip	Count of Activities	2
Description	buffer installment		
Proposed Size / Units	2.50 AC	Lifespan	10 Years
Actual Size/Units	2.50 AC	Installed Date	9-Apr-19
Mapped Activities	2 Polygon(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-140			
Practice	393 - Filter Strip	Count of Activities	1
Description	buffer installation		
Proposed Size / Units	1.50 AC	Lifespan	10 Years
Actual Size/Units	1.50 AC	Installed Date	21-Oct-18
Mapped Activities	1 Polygon(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-141			
Practice	393 - Filter Strip	Count of Activities	1
Description	buffer installation		
Proposed Size / Units	0.25 AC	Lifespan	10 Years
Actual Size/Units	0.25 AC	Installed Date	21-Oct-18
Mapped Activities	1 Polygon(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-142			
Practice	393 - Filter Strip	Count of Activities	1
Description	buffer installation		
Proposed Size / Units	0.50 AC	Lifespan	10 Years
Actual Size/Units	0.50 AC	Installed Date	20-Oct-18
Mapped Activities	1 Polygon(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-143			
Practice	393 - Filter Strip	Count of Activities	3
Description	buffer installation		
Proposed Size / Units	1.50 AC	Lifespan	10 Years
Actual Size/Units	1.50 AC	Installed Date	20-Oct-18
Mapped Activities	3 Polygon(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-210			
Practice	393 - Filter Strip	Count of Activities	1
Description	buffer installation		
Proposed Size / Units	0.75 AC	Lifespan	10 Years
Actual Size/Units	0.75 AC	Installed Date	11-Apr-19
Mapped Activities	1 Polygon(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-077			
Practice	393 - Filter Strip	Count of Activities	2
Description	buffer installation		
Proposed Size / Units	2.00 AC	Lifespan	10 Years
Actual Size/Units	2.00 AC	Installed Date	6-Jun-19
Mapped Activities	2 Polygon(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-075			
Practice	393 - Filter Strip	Count of Activities	1
Description	buffer installation		
Proposed Size / Units	2.00 AC	Lifespan	10 Years
Actual Size/Units	2.00 AC	Installed Date	5-Aug-19
Mapped Activities	1 Polygon(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-073			
Practice	393 - Filter Strip	Count of Activities	3
Description	buffer installation		
Proposed Size / Units	3.00 AC	Lifespan	10 Years
Actual Size/Units	3.00 AC	Installed Date	5-Aug-19
Mapped Activities	3 Polygon(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-025			
Practice	393 - Filter Strip	Count of Activities	4
Description	buffer installation		
Proposed Size / Units	3.00 AC	Lifespan	10 Years
Actual Size/Units	3.00 AC	Installed Date	30-Jul-19
Mapped Activities	4 Polygon(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-110			
Practice	393 - Filter Strip	Count of Activities	3
Description	buffer installation		
Proposed Size / Units	4.50 AC	Lifespan	10 Years
Actual Size/Units	4.50 AC	Installed Date	5-Aug-19
Mapped Activities	3 Polygon(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-111			
Practice	393 - Filter Strip	Count of Activities	2
Description	buffer installation		
Proposed Size / Units	1.25 AC	Lifespan	10 Years
Actual Size/Units	1.25 AC	Installed Date	14-Aug-19
Mapped Activities	2 Polygon(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-083			
Practice	393 - Filter Strip	Count of Activities	1
Description	buffer installation		
Proposed Size / Units	0.25 AC	Lifespan	10 Years
Actual Size/Units	0.25 AC	Installed Date	9-May-19
Mapped Activities	1 Polygon(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-084			
Practice	393 - Filter Strip	Count of Activities	3
Description	buffer installation		
Proposed Size / Units	1.50 AC	Lifespan	10 Years
Actual Size/Units	1.50 AC	Installed Date	9-May-19
Mapped Activities	3 Polygon(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-207			
Practice	393 - Filter Strip	Count of Activities	2
Description	buffer installation		
Proposed Size / Units	1.00 AC	Lifespan	10 Years
Actual Size/Units	1.00 AC	Installed Date	7-Aug-19
Mapped Activities	2 Polygon(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-208			
Practice	393 - Filter Strip	Count of Activities	3
Description	buffer installation		
Proposed Size / Units	4.50 AC	Lifespan	10 Years
Actual Size/Units	4.50 AC	Installed Date	7-Aug-19
Mapped Activities	3 Polygon(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-209			
Practice	393 - Filter Strip	Count of Activities	1
Description	buffer installation		
Proposed Size / Units	0.50 AC	Lifespan	10 Years
Actual Size/Units	0.50 AC	Installed Date	7-Aug-19
Mapped Activities	1 Polygon(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-188			
Practice	393 - Filter Strip	Count of Activities	2
Description	buffer installation		
Proposed Size / Units	1.00 AC	Lifespan	10 Years
Actual Size/Units	1.00 AC	Installed Date	5-Jun-19
Mapped Activities	2 Polygon(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-211			
Practice	393 - Filter Strip	Count of Activities	1
Description	buffer installation		
Proposed Size / Units	2.00 AC	Lifespan	10 Years
Actual Size/Units	2.00 AC	Installed Date	1-Aug-19
Mapped Activities	1 Polygon(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-202			
Practice	393 - Filter Strip	Count of Activities	1
Description	buffer installation		
Proposed Size / Units	1.00 AC	Lifespan	10 Years
Actual Size/Units	1.00 AC	Installed Date	20-Jun-19
Mapped Activities	1 Polygon(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-162			
Practice	393 - Filter Strip	Count of Activities	1
Description	buffer installation		
Proposed Size / Units	1.00 AC	Lifespan	10 Years
Actual Size/Units	1.00 AC	Installed Date	5-Aug-19
Mapped Activities	1 Polygon(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-171			
Practice	393 - Filter Strip	Count of Activities	1
Description	buffer installation		
Proposed Size / Units	0.50 AC	Lifespan	10 Years
Actual Size/Units	0.50 AC	Installed Date	9-May-19
Mapped Activities	1 Polygon(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-172			
Practice	393 - Filter Strip	Count of Activities	1
Description	buffer installation		
Proposed Size / Units	1.50 AC	Lifespan	10 Years
Actual Size/Units	1.50 AC	Installed Date	9-May-19
Mapped Activities	1 Polygon(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-173			
Practice	393 - Filter Strip	Count of Activities	1
Description	buffer installation		
Proposed Size / Units	1.00 AC	Lifespan	10 Years
Actual Size/Units	1.00 AC	Installed Date	6-Aug-19
Mapped Activities	1 Polygon(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-082			
Practice	393 - Filter Strip	Count of Activities	2
Description	buffer installation		
Proposed Size / Units	1.50 AC	Lifespan	10 Years
Actual Size/Units	1.50 AC	Installed Date	8-Aug-19
Mapped Activities	2 Polygon(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-112			
Practice	393 - Filter Strip	Count of Activities	4
Description			
Proposed Size / Units	2.50 AC	Lifespan	10 Years
Actual Size/Units	2.50 AC	Installed Date	2-Sep-21
Mapped Activities	4 Polygon(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-182			
Practice	393 - Filter Strip	Count of Activities	1
Description			
Proposed Size / Units	1.00 AC	Lifespan	10 Years
Actual Size/Units	1.00 AC	Installed Date	2-Sep-21
Mapped Activities	1 Polygon(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-023			
Practice	393 - Filter Strip	Count of Activities	1
Description			
Proposed Size / Units	0.50 AC	Lifespan	10 Years
Actual Size/Units	0.50 AC	Installed Date	8-Sep-21
Mapped Activities	3 Polygon(s)	Technical Assistance Provider	SWCD

Activity Action - 2018- 155			
Practice	393 - Filter Strip	Count of Activities	4
Description			
Proposed Size / Units	4.00 AC	Lifespan	10 Years
Actual Size/Units	4.00 AC	Installed Date	6-Sep-21
Mapped Activities	3 Polygon(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-156			
Practice	393 - Filter Strip	Count of Activities	3
Description			
Proposed Size / Units	3.00 AC	Lifespan	10 Years
Actual Size/Units	3.00 AC	Installed Date	6-Sep-21
Mapped Activities	2 Polygon(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-175			
Practice	410 - Grade Stabilization Structure	Count of Activities	1
Description			
Proposed Size / Units	1.00 COUNT	Lifespan	10 Years
Actual Size/Units	1.00 COUNT	Installed Date	12-Nov-21
Mapped Activities	1 Point(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-175			
Practice	393 - Filter Strip	Count of Activities	2
Description			
Proposed Size / Units	1.50 AC	Lifespan	10 Years
Actual Size/Units	1.50 AC	Installed Date	22-Oct-21
Mapped Activities	2 Polygon(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-230			
Practice	410 - Grade Stabilization Structure	Count of Activities	1
Description			
Proposed Size / Units	1.00 COUNT	Lifespan	10 Years
Actual Size/Units	1.00 COUNT	Installed Date	7-Oct-21
Mapped Activities	1 Point(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-261			
Practice	393 - Filter Strip	Count of Activities	4
Description			
Proposed Size / Units	3.50 AC	Lifespan	10 Years
Actual Size/Units	3.50 AC	Installed Date	16-Sep-21
Mapped Activities	2 Polygon(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-262			
Practice	393 - Filter Strip	Count of Activities	1
Description			
Proposed Size / Units	0.50 AC	Lifespan	10 Years
Actual Size/Units	0.50 AC	Installed Date	15-Sep-21
Mapped Activities	1 Polygon(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-263			
Practice	393 - Filter Strip	Count of Activities	1
Description			
Proposed Size / Units	0.75 AC	Lifespan	10 Years
Actual Size/Units	0.75 AC	Installed Date	15-Sep-21
Mapped Activities	1 Polygon(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-265			
Practice	393 - Filter Strip	Count of Activities	1
Description			
Proposed Size / Units	1.00 AC	Lifespan	10 Years
Actual Size/Units	1.00 AC	Installed Date	15-Sep-21
Mapped Activities	1 Polygon(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-260			
Practice	393 - Filter Strip	Count of Activities	7
Description			
Proposed Size / Units	7.00 AC	Lifespan	10 Years
Actual Size/Units	7.00 AC	Installed Date	10-Sep-21
Mapped Activities	3 Polygon(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-027			
Practice	393 - Filter Strip	Count of Activities	3
Description			
Proposed Size / Units	3.00 AC	Lifespan	10 Years
Actual Size/Units	3.00 AC	Installed Date	10-Sep-21
Mapped Activities	4 Polygon(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-022			
Practice	393 - Filter Strip	Count of Activities	4
Description			
Proposed Size / Units	3.50 AC	Lifespan	10 Years
Actual Size/Units	3.50 AC	Installed Date	3-Sep-21
Mapped Activities	2 Polygon(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-109			
Practice	393 - Filter Strip	Count of Activities	1
Description			
Proposed Size / Units	0.50 AC	Lifespan	10 Years
Actual Size/Units	0.50 AC	Installed Date	3-Sep-21
Mapped Activities	1 Polygon(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-024			
Practice	393 - Filter Strip	Count of Activities	1
Description			
Proposed Size / Units	0.50 AC	Lifespan	10 Years
Actual Size/Units	0.50 AC	Installed Date	3-Sep-21
Mapped Activities	1 Polygon(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-005			
Practice	393 - Filter Strip	Count of Activities	4
Description			
Proposed Size / Units	4.00 AC	Lifespan	10 Years
Actual Size/Units	4.00 AC	Installed Date	2-Sep-21
Mapped Activities	3 Polygon(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-104			
Practice	393 - Filter Strip	Count of Activities	1
Description			
Proposed Size / Units	0.50 AC	Lifespan	10 Years
Actual Size/Units	0.50 AC	Installed Date	2-Sep-21
Mapped Activities	1 Polygon(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-101			
Practice	393 - Filter Strip	Count of Activities	1
Description			
Proposed Size / Units	1.00 AC	Lifespan	10 Years
Actual Size/Units	1.00 AC	Installed Date	2-Sep-21
Mapped Activities	1 Polygon(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-102			
Practice	393 - Filter Strip	Count of Activities	1
Description			
Proposed Size / Units	0.50 AC	Lifespan	10 Years
Actual Size/Units	0.50 AC	Installed Date	2-Sep-21
Mapped Activities	1 Polygon(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-103			
Practice	393 - Filter Strip	Count of Activities	1
Description			
Proposed Size / Units	1.00 AC	Lifespan	10 Years
Actual Size/Units	1.00 AC	Installed Date	2-Sep-21
Mapped Activities	1 Polygon(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-259			
Practice	393 - Filter Strip	Count of Activities	1
Description			
Proposed Size / Units	0.50 AC	Lifespan	10 Years
Actual Size/Units	0.50 AC	Installed Date	13-Jul-21
Mapped Activities	1 Polygon(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-258			
Practice	393 - Filter Strip	Count of Activities	8
Description			
Proposed Size / Units	7.50 AC	Lifespan	10 Years
Actual Size/Units	7.50 AC	Installed Date	8-Jan-21
Mapped Activities	1 Polygon(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-065			
Practice	410 - Grade Stabilization Structure	Count of Activities	3
Description			
Proposed Size / Units	3.00 COUNT	Lifespan	10 Years
Actual Size/Units	3.00 COUNT	Installed Date	11-Nov-21
Mapped Activities	3 Point(s)	Technical Assistance Provider	SWCD

Activity Action - 2018-065			
Practice	393 - Filter Strip	Count of Activities	1
Description			
Proposed Size / Units	0.50 AC	Lifespan	10 Years
Actual Size/Units	0.50 AC	Installed Date	3-Nov-21
Mapped Activities	No	Technical Assistance Provider	SWCD

Grant Activity - T & A			
Description	Technical and Administration Costs		
Category	ADMINISTRATION/COORDINATION		
Start Date	14-Jul-17	End Date	31-Dec-21
Has Rates and Hours?	No		
Actual Results	2018 - 62 completed contracts 2019 - 56 completed contracts - 81 acres. 11 SWI's installed. Administrative Cert.: Shonda Jelle SWI Technical Cert.: Jim Hest, CE Filter Strip Technical Cert: Scott Johnson, DM 2020 - 60 completed contracts - 27 SWI's installed and 121 acres planted. 2021 26 completed contracts- 5 SWI's installed and 51 acres of buffer planted.		

Grant Attachments

Document Name	Document Type	Description
2018 Buffer Cost Share	Grant Agreement	2018 Buffer Cost Share - Roseau SWCD
2018 Buffer Cost Share Amendment EXECUTED	Grant Agreement Amendment	
2018 Buffer Cost Share Amendment EXECUTED	Grant Agreement Amendment	
2018 Buffer Cost Share Amendment EXECUTED - Roseau SWCD	Grant	2018 - Buffer Cost Share (Roseau SWCD)
2018 Buffer Cost Share Amendment UNEXECUTED - Roseau SWCD	Grant	2018 - Buffer Cost Share (Roseau SWCD)
2018 Buffer Cost Share amendment EXECUTED	Grant Agreement Amendment	
2018 Buffer Cost Share executed	Grant Agreement	2018 Buffer Cost Share - Roseau SWCD
All Details Report	Workflow Generated	Workflow Generated - All Details Report - 04/03/2018
All Details Report	Workflow Generated	Workflow Generated - All Details Report - 01/18/2018

Document Name	Document Type	Description
All Details Report	Workflow Generated	Workflow Generated - All Details Report - 01/16/2019
All Details Report	Workflow Generated	Workflow Generated - All Details Report - 01/25/2022
All Details Report	Workflow Generated	Workflow Generated - All Details Report - 01/24/2019
All Details Report	Workflow Generated	Workflow Generated - All Details Report - 01/12/2021
All Details Report	Workflow Generated	Workflow Generated - All Details Report - 03/18/2020
All Details Report	Workflow Generated	Workflow Generated - All Details Report - 01/29/2020
All Details Report	Workflow Generated	Workflow Generated - All Details Report - 02/05/2021
Extension Request	Grant Agreement Amendment	
Extension Request (Sept 2020)	Grant Agreement Amendment	
Extension Request, Roseau SWCD, FY18 Buffer Cost Share (Nov 2021)	Grant Agreement Amendment	
Unexecuted Grant Amendment	Grant Agreement Amendment	
Unexecuted Grant Amendment (Sept 2020)	Grant Agreement Amendment	
Unexecuted Grant Amendment, Roseau SWCD, FY18 Buffer Cost Share (Nov 2021)	Grant Agreement Amendment	